

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	855	(711/173).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 07:33
S2	146	S1 AND (persistent permanent constant lasting) AND (dynamic transient temporary provisional "short term" impermanent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:29
S3	5	S1 AND (persistent ADJ (data variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:29
S4	4	S1 AND (dynamic ADJ (data variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:30
S5	30	S1 AND ((dynamic transient temporary) ADJ (data variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:35
S6	197	(711/123).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:35
S7	373	(711/129).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:34
S8	10	S6 AND S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:36

S9	1115	(unified ADJ memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:47
S10	197	(711/123).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 12:34
S11	373	(711/129).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 12:34
S12	10	S10 AND S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:47
S13	1118	(unified ADJ memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:40
S14	0	S13 AND S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:47
S15	3	S13 AND S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:47
S16	9	S13 AND S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:50

S17	857	(711/173).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:24
S18	7	S13 AND S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:51
S19	2322	(unified ADJ memory) (UMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:53
S20	3	S19 AND S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:56
S21	9	S19 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:56
S22	12	S19 AND S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:56
S23	7	(US-6516387-\$ or US-6732237-\$ or US-6842823-\$ or US-6848026-\$ or US-6907508-\$ or US-6912622-\$ or US-6925546-\$).did.	USPAT	OR	ON	2005/10/18 11:25
S24	0	S23 AND S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:25
S25	3303	((unified uniform) ADJ memory) (UMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:25

S26	0	S23 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:25
S27	40	S25 AND (S10 S11 S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:28
S28	20	S27 AND (partition segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:28
S29	622	S19 AND (management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:33
S30	252	S19 AND (memory ADJ management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:40
S31	1852	(logical logic virtual) ADJ (partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:41
S32	17	S31 AND S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:41
S33	303	S19 AND (synthesis synthesiz\$ recombine recombination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:58

S34	160	S33 AND (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:01
S35	344	(hybrid) ADJ (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:04
S36	1380	(address NEAR space) NEAR2 (shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:04
S37	1278	((address NEAR space) NEAR2 (shar\$3)) AND (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:04
S38	414	((address NEAR space) NEAR2 (shar\$3)) AND (memory) AND (partition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:27
S39	10193	((711/3,6,100,117,122,123,129,165, 170,173,203,209)(713/1,2,100)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 12:55
S40	81	S19 AND S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:56
S41	2652	((unified hybrid) ADJ memory) (UMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:55

S42	89	S41 AND S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 12:56
S43	2	"6728836".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:38
S44	10003	((unified integrated) ADJ memory) (UMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:53
S45	9114	((integrated) ADJ memory) (UMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:53
S46	7743	((integrated) ADJ (memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:53
S47	1	S46 AND S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:54
S48	8	S46 AND S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 13:55
S49	116	(711/126).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:28

S50	687	(711/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:45
S51	1837	(711/170).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:22
S52	425	(711/117).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:23
S53	1727	(711/118).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:24
S54	1352	(711/117,118,122,170).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done) NEAR5 (method thread process function procedure routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:48
S55	1152	(711/117,118,122,170).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done) NEAR3 (method thread process function procedure routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:49
S56	1064	(711/117,118,122,170).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done stop\$4) NEAR2 (method thread process function procedure routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:49
S57	671	(711/117,118,122,170).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done stop\$4) ADJ3 (method thread process function procedure routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:50

S58	819	(711/117,118,122,123,129,170,173).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done stop\$4) ADJ3 (method thread process function procedure routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:51
S59	780	(711/117,118,122,123,129,170,173).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done stop\$4) ADJ3 (method thread process function routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:52
S60	95	(711/117,118,122,123,129,170,173).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done stop\$4) ADJ3 (method thread process function routine subroutine)) AND ((local private temporary transient unused) ADJ (variable data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:25
S61	64	(711/117,118,122,123,129,170,173).CCLS. AND ((finish\$3 unfinish\$3 complet\$3 incomplet\$3 terminat\$3 inactive active done stop\$4) ADJ3 (method thread process function routine subroutine)) AND ((local private) ADJ (variable data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:25

S62	44	(US-20020147900-\$ or US-20020174301-\$ or US-20020199075-\$ or US-20030056076-\$ or US-20030065899-\$ or US-20030110361-\$ or US-20040044849-\$ or US-20040078522-\$ or US-20040078543-\$ or US-20040215915-\$ or US-20050052934-\$ or US-20050066130-\$).did. or (US-5664152-\$ or US-5684993-\$ or US-5737750-\$ or US-5860142-\$ or US-5873120-\$ or US-5978892-\$ or US-6023281-\$ or US-6023749-\$ or US-6067602-\$ or US-6092152-\$ or US-6141722-\$ or US-6272504-\$ or US-6272612-\$ or US-6351794-\$ or US-6484237-\$ or US-6516387-\$ or US-6535958-\$ or US-6684392-\$ or US-6728836-\$ or US-6732237-\$ or US-6842823-\$ or US-6848026-\$ or US-6862674-\$ or US-6895486-\$ or US-6901481-\$ or US-6907508-\$). did. or (US-6912622-\$ or US-6919894-\$ or US-6920555-\$ or US-6922765-\$ or US-6925546-\$ or US-6931507-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/20 12:28
S63	23	S62 AND (complete)	US-PGPUB; USPAT	OR	ON	2005/10/20 11:59
S64	2	S62 AND (reachable)	US-PGPUB; USPAT	OR	ON	2005/10/20 14:18
S65	839	(711/156).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 14:19
S66	790	S65 AND (allocation read fetch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:20
S67	288	S65 AND ((allocation read fetch) NEAR5 (bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:57

S68	21	S65 AND ((allocation) NEAR5 (bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:25
S69	273	S65 AND ((read fetch) NEAR5 (bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:35
S70	21	S65 AND ((fetch) NEAR5 (bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:33
S71	17	S65 AND ((allocate) NEAR5 (bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:33
S72	5	S62 AND ((read fetch) NEAR5 (bit indicator flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:35
S73	0	((((need) NEAR2 (fetch)) NEAR2 (flag bit indicator)) AND (cache ADJ line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:58
S74	2	((((need) NEAR2 (fetch)) NEAR2 (flag bit indicator)) AND (cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:00
S75	8971	((fetch read) NEAR2 (flag bit indicator need)) AND (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:01

S76	2400	((fetch read) NEAR2 (flag bit indicator need)) AND (cache NEAR2 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:01
S77	594	((fetch) NEAR2 (flag bit indicator need)) AND (cache NEAR2 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:01
S78	491	((fetch) NEAR2 (flag bit indicator)) AND (cache NEAR2 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:02
S79	472	((fetch) NEAR2 (flag bit indicator)) AND (cache NEAR line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:11
S80	52	(prefetch (pre ADJ fetch)) NEAR2 (control) NEAR2 (bit indicator flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:12
S81	10219	((711/3,6,100,117,122,123,129,165,170,173,203,209)(713/1,2,100)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:42
S82	292	((unified integrated hybrid) ADJ (memory storage)) AND (partition separation division regions areas blocks) AND S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:42
S83	253	((unified integrated hybrid) ADJ (memory)) AND (partition separation division regions areas blocks) AND S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:43

S84	217	((unified integrated hybrid) ADJ (memory)) AND (partition separation division regions areas) AND S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:43
S85	208	((unified integrated) ADJ (memory)) AND (partition separation division regions areas) AND S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:46
S86	56	((unified integrated) ADJ (memory)) AND (partition separation division regions areas) AND S81 AND (segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:37
S87	1173	(OUM) (Ovonic NEAR2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:38
S88	1105	((OUM) (ovonic NEAR2 unified NEAR2 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:39
S89	5	((OUM) (ovonic NEAR2 unified NEAR2 memory)) AND S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:40
S90	606	((OUM) (ovonic NEAR2 unified NEAR2 memory)) AND (regions areas partitions separation division)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:41
S91	98	(717/166).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 07:33

S92	96	S91 AND (pointer object linker link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 07:36
S93	64	S91 AND (pointer linker link) AND (object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 07:38
S94	11	S91 AND (pointer linker link) AND (object) AND (DLL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 07:38
S95	337	(livelock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:17
S96	320	(live ADJ variable) (livevariable) (live ADJ var) (livereg) (live ADJ reg)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:21
S97	314	(live ADJ variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:21
S98	15	(live ADJ variable) AND (sweep)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:23
S99	22	stenggaard.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:24